

## *Network Disclosure Announcement No. 402*

Public Notice of Network Change(s), Pursuant to CFR 47, subsections 51.325 - 51.335.  
Qwest Corporation d/b/a CenturyLink QC Internet address:  
<http://centurylink.com/disclosures/>

# ISDN-Compatible Services and 64 Kb/s Unrestricted Clear Channel Capability (64CCC) 2-5-2024

Original Disclosure Date: June 19, 1989 - ISDN  
June 1, 1992 - 64CCC  
December 7, 2016  
Previous Update Date: February 28, 2019  
Replacement to Network Disclosure News #396

This document provides an update to the locations where Qwest Communications plans to deploy ISDN-Compatible Services and 64 Kb/s Unrestricted Clear Channel Capability (64CCC). The following summary and interface specifications were announced in Network Disclosure #402 dated 10/06/00 and are reiterated below as this document completely replaces previous issues of Network Disclosure #402. An asterisk in the left margin denotes a change or addition from the previous release.

### **Summary:**

Qwest offers National as well as Vendor Specific ISDN-compatible services to customers in identified areas. The Clear Channel Capability (CCC), which provides 64 Kb/s unrestricted digital information to support circuit switched data and voice connectivity, is also offered. Where 64CCC is disclosed, customers will be connected to an ISDN interoffice communication using the CCS-SS7 Network in accordance with Telcordia Technologies Technical Reference TR-NWT-000444. In accordance with GR-334-CORE, 64CCC Service can be ordered under the Switched Access tariff by ordering DS1 Feature Group D trunk groups with B8ZS.

### **Locations and Timing of Deployment:**

The attached list is updated to reflect **CenturyLink's** current availability strategy and is subject to change. An asterisk in the margin denotes a change or addition to the previous release.

### **Pricing:**

To order Single Line ISDN service, obtain information on vendor provided CPE products, and view current tariff offerings that include pricing, select among the following options:

By Internet access to **CenturyLink** World Wide Web home page:  
Open URL <http://www.CenturyLink.com>

**Interface Requirements:**

Interface specifications are contained in the following documents:

**Lucent Publications**

## Basic Rate Interface

235-900-343 – 5E8 & 5E9 Generic Program

235-190-104 – ISDN Feature Descriptions

5E13 and Later Generics

Volume 4, Issue 6.00 November 2000

(National ISDN Basic Rate Interface Specifications)

235-900-343 – 5E8 & 5E9 Generic Program

(Custom ISDN Basic Rate Interface Specifications)

## Primary Rate Interface

235-900-342 – 5E9 Generic Program

**Nortel Publications**

NIS S208-6 – Basic Rate User Network Interface Specifications

NIS A211-1 – Primary Rate Access User Network

Interface Specification (Issue 5 = BCS 35 and

Issue 6 = BCS 36)

NIS-A233-1 – Digital Switching Systems

NT-NI Primary Rate User

Network Interface Specification

NA012 Standard 05.03 August 3, 1999

**ANSI Documents**

T1.403.1989 – Telecommunications Carrier-to-Customer's

Installation – DS1 Metallic Interface

(for Primary Rate Interface)

T1.408.1990 – ISDN Primary Rate Customer Installation

Interfaces, Layer 1 Specification

T1.601.1992 – Telecommunications ISDN Basic Access

Interface for use on Metallic Loops for Application on

the Network Side of the NT, Layer 1 Specification

**Telcordia Documents**

The signaling protocol and interface information for Common Channel Signaling, ISDN interswitch call connection, and 64 Kbps clear channel transmission on switched access, can be found in the following Telcordia Technologies Technical References:

**TR-NWT-000444** - Switching System Requirements Supporting ISDN Access Using the ISDN User Part, Issue 3, May 1993

**GR-334-CORE** - Switched Access Service Transmission Parameter Limits and Interface Combinations, Issue 1, June 1994

**GR-394-CORE** - Switching System Generic Requirements for Interexchange Carrier Interconnection Using the Integrated Services Digital Network User Part, Issue 1, February 1994

**GR-317-CORE** - Switching System Requirements for Call Control Using the Integrated Services Digital Network User Part, Issue 1, February 1994

**GR-905** - Common Channel Signaling Network Interface Specifications Supporting Network Interconnection, Message Transfer Part, and Integrated Services Digital Network User Part, Issue 1, March 1995

**TR-TSY-000448** - Integrated Services Digital Network Routing and Digital Analysis, Issue 1, January 1989  
Supplement 1, June 1990

**SR-3875** - National ISDN 2000 – Telcordia Technologies Special Report  
Issue 4, July 1999

These publications can be obtained by writing or calling:

Lucent Technologies  
P.O. Box 19901  
Indianapolis, IN 46219  
or call 1-888-LUCENT8

American National Standards Institute, Inc.  
11 West 42nd Street  
New York, NY 10036  
or call 1-212-642-4900

Telcordia Technologies  
Customer Services  
8 Corporate Place, Room 3A-184  
Piscataway, NJ 08854-4196  
(800) 521-CORE

Northern Telecom  
Merchandising  
P.O. Box 13010, Dept. 6611  
Research Triangle Park, NC 27709  
or call 1-800-347-4850

ANSI documents can also be obtained from the standards document distribution company.

**Additional Information:**

Refer questions about the ISDN Network Disclosure content to:

Robin Latimer  
Senior Product Manager  
913-884-1381  
[Robin.Latimer@Lumen.com](mailto:Robin.Latimer@Lumen.com)

ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
<b>Arizona</b>						
PHOENIX MAIN TANDEM	PHNXAZMA011	DMS200 (1 andem)			Deployed	
Beardsley	BRDSAZMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Wickenburg	WCBGAZMARS1	5RSM (Remote)		Via Host	Via Host	
Circle City	CRCYAZNMRS1	5RSM (Remote)		Via Host	Via Host	
Cave Creek	CVCKAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Chandler-Main	CHNDAZMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Chandler-Galveston	CHNDAZSLRS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Chandler-Ocotillo	CHNDAZRSRS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Chandler-South	CHNDAZSODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Chandler-West	CHNDAZWEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Coldwater	GDYRAZCWDS0	DMS100		Deployed	Deployed	
Wintersburg	WNBGAZ01RS1	RSC (Remote)		Via Host	Via Host	
Gila Bend	GLBNAZNARS1	RSC (Remote)		Via Host	Via Host	
Deer Valley-North	DRVYAZNODS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Black Canyon	BLCNAZMARS1	5RSM (Remote)		Via Host	Via Host	
Fort McDowell	FTMDAZMADS0	5ESS	Deployed		Deployed	Deployed
Green Valley	GNVYAZMADS0	DMS100		Deployed	Deployed	
Higley Main	HGLYAZMADS1	DMS100		Deployed	Deployed	
Higley Queen Creek	HGLYAZQCDS2	DMS100	Deployed	Deployed	Deployed	Deployed
Litchfield Park	LTPKAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Mesa Gilbert	MESAAZGIDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Mesa-Main	MESAAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
New River	NWRVAZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Page	PAGEAZMADS0	DMS100		Deployed	Deployed	
Phoenix-Foothills	PHNXAZ81DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Pecos	PHNXAZPPDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Pinnacle Peak	PRVYAZPPDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Scottsdale-Main	SCDLAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Scottsdale-Shea	SCDLAZSHDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Rio Verde	FTMDAZNORS1	5RSM (Remote)		Via Host	Via Host	
Scottsdale-Thunderbird	SCDLAZTHDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Sunrise	AGFIAZSRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Super East	SPRSAZEADS0	DMS100 (Host)		Deployed	Deployed	
Superior	SPRRAZMARS1	RSC (Remote)		Via Host	Via Host	
Superstition Main	SPRS AZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Superstition West	SPRS AZWEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Winslow	WNSLAZMADS1	DMS100 (Host)		Deployed	Deployed	
Joseph City	JSCYAZMARS1	RSC (Remote)		Deployed	Deployed	
<b>PHOENIX MAIN TANDEM</b>	<b>PHNXAZMA07T</b>	<b>DMS200 (Tandem)</b>			Deployed	
Buckeye	BCKYAZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Casa Grande	CSGRAZMADS0	DMS100 (Host)		Deployed	Deployed	
Arizona City	AZCYAZ03RS1	RSC (Remote)		Via Host	Via Host	
Coolidge	CLDGAZMARS1	RSC (Remote)		Via Host	Via Host	
Eloy	ELOYAZ01RS1	RSC (Remote)		Via Host	Via Host	
Florence	FLRNAZMARS1	RSC (Remote)		Via Host	Via Host	
Stanfield	STFD AZMARS1	RSC (Remote)		Via Host	Via Host	
Chino Valley	CHVYAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Flagstaff-East	FLGSAZEADS0	5ESS	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN SERVING VEHICLE OR EIA/HOST OFFICE</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Flagstaff-Main	FLGSAZMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Flagstaff South	FLGSAZSORS1	5RSM (Remote)		Via Host	Via Host	
Grand Canyon	GRCNAZMARS1	5RSM (Remote)		Via Host	Via Host	
Williams	WLMSAZMARS1	5RSM (Remote)		Via Host	Via Host	
Ashfork	ASFKAZMARS1	5RSM (Remote)		Via Host	Via Host	
Glendale-Main	GLDLAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Maricopa	MRCPAZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Payson	PYSNAZMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Bethany-West	PHNXAZBWDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
White Tanks	WHTKAZMARS2	5RSM (Remote)		Via Host	Via Host	
Phoenix-Cactus	PHNXAZCADS0	ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-East	PHNXAZEADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Greenway	PHNXAZGRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Main	PHNXAZMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Phoenix-Main	PHNXAZMADS4	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Maryvale	PHNXAZMYDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Mid Rivers	PHNXAZMRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-North	PHNXAZNODS1	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-North	PHNXAZNODS3	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Northeast	PHNXAZNEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Northwest	PHNXAZNWDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Peoria	PHNXAZPRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-South	PHNXAZSODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Southeast	PHNXAZSEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-Sunnyslope	PHNXAZSYDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Phoenix-West	PHNXAZWEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Prescott-Main	PRSCAZMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Humboldt	HMBLAZMARS1	5RSM (Remote)		Via Host	Via Host	
Mayer	MAYRAZMARS1	5RSM (Remote)		Via Host	Via Host	
Prescott East	PRSCAZEARS2	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Yarnell	YRNLAZMARS1	5RSM (Remote)		Via Host	Via Host	
Sedona-Main	SEDNAZMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Sedona-South	SEDNAZSORS3	5RSM (Remote)		Via Host	Via Host	
Tempe-Main	TEMPAZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Tempe-McClintock	TEMPAZMCDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tolleson	TLSNAZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Yuma-Main	YUMAAZMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Yuma-Southeast	YUMAAZSEDS0	DMS100 (Host)				
Somerton	SMTNAZMARS1	RSC (Remote)	Deployed	Deployed	Deployed	Deployed
Wellton	WLTNAZMARS1	RSC (Remote)		Via Host	Via Host	
TUCSON MAIN TANDEM	TCSNAZMA04T	DMS1/200 (Tandem)			Deployed	
Benson	BNSNAZMADS0	DMS10		Deployed	Deployed	
Catalina	TCSNAZCADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Cortaro	TCSNAZCODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Craycroft	TCSNAZCRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Flowing Wells	TCSNAZFWDS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Marana West	MARNAZ02RS1	RSC (Remote)		Via Host	Via Host	
Marana South	MARNAZ03RS1	RSC (Remote)		Via Host	Via Host	
Marana	MARNAZMARS1	RSC (Remote)		Via Host	Via Host	
Tucson West	TCSNAZWERS1	RSC (Remote)		Via Host	Via Host	

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN SERVING VEHICLE OR EIA/HOST OFFICE</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Green Valley	GNVYAZMADS0	DMS 100		Deployed	Deployed	
Nogales Midway	NGLSAZMWDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Nogales Main	NGLSAZMARS1	5RSM (Remote)		Via Host	Via Host	
Rio Rico	NGLSAZ03RS2	5RSM (Remote)		Via Host	Via Host	
Tubac	TUBCAZMARS1	5RSM (Remote)		Via Host	Via Host	
Safford	SFFRAZMADS0	DMS100 (Host)		Deployed	Deployed	
Pima	PIMAAZMARS1	RSC (Remote)		Via Host	Via Host	
Sierra Vista-Main	SRVSAZMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Bisbee	BISBAZMARS1	RSC (Remote)		Via Host	Via Host	
Douglas	DGLSAZMARS1	RSC (Remote)		Via Host	Via Host	
Palominas	PLMNAZMARS1	RSC (Remote)		Via Host	Via Host	
Patagonia- Elgin	PTGNAZELRS1	RSC (Remote)	EIA	Via Host	Via Host	EIA
Patagonia	PTGNAZMARS1	RSC (Remote)		Via Host	Via Host	
Sierra Vista North	SRVSAZNORS1	RSC (Remote)		Via Host	Via Host	
Tombstone	TMBSAZMARS1	RSC (Remote)		Via Host	Via Host	
Sierra Vista-South	SRVSAZSODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Tanque Verde	TCSNAZTVDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tucson-East	TCSNAZEADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tucson-Main	TCSNAZMADS1	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Mount Lemmon	TCSNAZMLRS2	5RSM (Remote)		Via Host	Via Host	
Tucson-North	TCSNAZNODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tucson-Rincon	TCSNAZRNDSD0	DMS100	Deployed	Deployed	Deployed	Deployed
Tucson-South	TCSNAZSODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tucson-Southeast	TCSNAZSEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Tucson-Southwest	TCSNAZSWDS0	DMS100 (Host)		Deployed	Deployed	
Vail North	VAILAZNORS1	RSC (Remote)		Via Host	Via Host	
Willcox	WLCXAZMARS1	RSC (Remote)		Via Host	Via Host	

**AZ EXTENDED BRI ISDN  
AVAILABILITY**

Casa Grande	CSGRAZMADS0	EIA/Chandler-Main	Via Host		Via Host	Via Host
Miami	MIAMAZMARS1	EIA/Tucson-Main	Via Host		Via Host	Via Host
Patagonia Elgin	PTGNAZELRS1	EIA/Sierra Vista-Main	Via Host		Via Host	Via Host
Prescott-East	PRSCAZEARS2	EIA/Prescott-Main	Via Host		Via Host	Via Host
Superstition-East	SPRSAZEADS0	EIA/Superstition-West	Via Host		Via Host	Via Host
Cottonwood -Main	CTWDAZMADS0	EIA/Sedona-Main	Via Host		Via Host	Via Host
CAMP VERDE	CMVRAZMARS1	EIA/Sedona-Main	Via Host		Via Host	Via Host

**Colorado**

<b>CO SPRINGS TANDEM</b>	<b>CLSPCOMA03T</b>	<b>DMS1/200 (Tandem)</b>			Deployed	
Air Force Academy	AFACCOMADS0	DMS100	EIA	Deployed	Deployed	EIA
Alamosa	ALMSCOMADS0	DMS100 (Host)		Deployed	Deployed	
Monte Vista	MTVSCOMARS1	RSC (Remote)		Via Host	Via Host	
Del Norte	DLNRCOMARS1	RSC (Remote)		Via Host	Via Host	
South Fork	SFRKCOMARS1	RSC (Remote)		Via Host	Via Host	
Black Forest	BLFSCOMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Colorado Springs-Main	CLSPCOMADS0	5ESS (Host) See Note	Deployed	Deployed	Deployed	Deployed
Calhan	CLHNCOMARS1	5RSM (Remote)		Via Host	Via Host	
Colorado Springs Main	CLSPCOMADS1	DMS1/200 See Note		Deployed	Deployed	
Colorado Springs-East	CLSPCOEADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Peyton	PYTNCOMARS1	5RSM (Remote)		Via Host	Via Host	
Monument	MNMTCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Pikeview	CLSPCOPVDS0	5ESS (Host)	Deployed	Deployed	Deployed
Gatehouse	CLSPCO32RS1	5RSM (Remote)		Via Host	Via Host
Pueblo West	PUBLICO06DS0	DMS100	Deployed	Deployed	Deployed
Pueblo-Main	PUBLICOMADS0	DMS100 (Host)	Deployed	Deployed	Deployed
Vineland	VNLDCOMARS1	RSC (Remote)		Via Host	Via Host
Avondale	AVDLCOMARS1	RSC (Remote)		Via Host	Via Host
Pueblo-Sunset	PUBLICOSUDS0	DMS100		Deployed	Deployed
Security	SCRTCOMADS0	DMS100	Deployed	Deployed	Deployed
Stratmoor	CLSPCOSMDS0	DMS100 (Host)	Deployed	Deployed	Deployed
Manitou Springs	MNSPCOMARS1	RSC (Remote)		Via Host	Via Host
Woodland Park	WDPKCOMADS1	5ESS	Deployed	Deployed	Deployed

Note: CLSPCOMADS1 is Deployed For Existing PRS Customers only. New ISDN PRS customers will be provisioned from the CO Spgs Main 5E (CLSPCOMADS0).

CLSPCOMADS1 customers that move their PRS circuits to a new premise address will be reassigned out of CLSPCOMADS0.

Additions or deletions of PRS services for existing CLSPCOMADS1 PRS subscribers are permitted.

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
<b>DENVER MAIN TANDEM</b>	<b>DNVRCOMA02T</b>	<b>DMS200 (Tandem)</b>		Deployed	
Aspen	ASPECOMADS0	5ESS (Host)	Deployed	Deployed	Deployed
Snowmass	SNMSCOMARS1	5RSM (Remote)		Via Host	Via Host
Avon	AVONCOMADS0	DMS100	Deployed	Deployed	Deployed
Boulder-Main	BLDRCOMADS0	5ESS (Host)	Deployed	Deployed	Deployed
Gun Barrell	BLDRCOGBRS1	5RSM (Remote)	Deployed	Via Host	Via Host
Ward	WARDCOMARS1	5RSM (Remote)		Via Host	Via Host
Nederland	NLDLDCOMARS1	5RSM (Remote)		Via Host	Via Host
Breckenridge	BRRGCOMADS0	DMS100	Deployed	Deployed	Deployed
Brighton	BITNCOMADS0	5ESS	Deployed	Deployed	Deployed
Carbondale	CRDLCOMADS1	C15		Deployed	Deployed
Dillon	DLLNCOMADS0	DMS100 (Host)		Deployed	Deployed
Leadville	LDVLCOMARS2	RSC (Remote)		Via Host	Via Host
Estes Park	ESPKCOMADS1	DMS100 (Host)		Deployed	Deployed
Allen Park	ALPKCOMARS3	RSC (Remote)		Via Host	Via Host
Fort Collins	FTCLCOMADS0	5ESS	Deployed	Deployed	Deployed
Fort Collins - Harmony	FTCLCOHMDS0	5ESS (Host)	Deployed	Deployed	Deployed
Wellington	WGTNCOMARS1	5RSM (Remote)		Via Host	Via Host
Frisco	FRSCCOMADS1	DMS100 (Host)	Deployed	Deployed	Deployed
Copper Mountain	CPMTCOMARS3	RSC (Remote)		Via Host	Via Host
Fraser	FRSRCOMADS0	DMS100		Deployed	Deployed
Glenwood Springs	GLSPCOMADS0	DMS100		Deployed	Deployed
Greeley-Main	GRELCOMADS0	5ESS	Deployed	Deployed	Deployed
Johnstown - Milliken	JHMLCOMADS0	DMS100	Deployed	Deployed	Deployed
Longmont	LNMTCOMADS1	5ESS	Deployed	Deployed	Deployed
Loveland	LVLDCOMADS0	5ESS	Deployed	Deployed	Deployed
Steamboat Springs	STSPCOMADS1	5ESS	Deployed	Deployed	Deployed
Table Mesa	TEMACOMADS0	5ESS	Deployed	Deployed	Deployed
Vail	VAILCOMADS0	DMS100 (Host)	Deployed	Deployed	Deployed
Minturn	MNTRCOMARS1	RSC (Remote)		Via Host	Via Host
Windsor	WNDSCOMADS1	DMS100	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
DENVER SOUTH TANDEM	DNVRCOSO02T	DMS200 (Tandem)			Deployed	
Arvada	ARVDCOMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Aurora	AURRCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Bailey	BALYCOMADS1	DMS100	Deployed		Deployed	Deployed
Broomfield	BRFDCOMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Castle Rock	CSRKCONMDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Larkspur	LRKSCONMRS1	5RSM (Remote)		Via Host	Via Host	
Deckers	DCKRCOMARS1	5RSM (Remote)		Via Host	Via Host	
Denver-Capitol Hill	DNVRCOCHDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-Columbine	DNVRCOCLDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-Cottonwood	DNVRCOCWDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Eric	ERIECOMARS1	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Denver-Curtis Park	DNVRCOCPDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Denver-Dry Creek	DNVRCODCDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Denver-Tech Center	DNVRCOTCRS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Denver-Dry Creek	DNVRCODCDS1	5ESS	Deployed	Deployed	Deployed	Deployed
Denver-East	DNVRCOEADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Denver-Main	DNVRCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Denver-Main	DNVRCOMADS9	5ESS	Deployed	Deployed	Deployed	Deployed
Denver-Montbello	DNVRCOMBDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Monaghan	AURRCOMBRS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Denver-North	DNVRCONODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-Northeast	DNVRCONEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver Int'l Airport	DNVRCOOUDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Smoky Hill	DNVRCOSHDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-Southeast	DNVRCOSED0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-South	DNVRCOSODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-Southwest	DNVRCOSWDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-West	DNVRCOWSDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Denver-Sullivan	DNVRCOSLDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Elizabeth	ELZBCO01DS1	DMS100 (Host)	Deployed		Deployed	Deployed
Englewood	ENWDCOMADS0	DSM100	Deployed	Deployed	Deployed	Deployed
Englewood-Aberdeen	ENWDCOABDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Evergreen	EVRCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Golden	GLDNCOMADS0	DMS100 ((Host)	Deployed	Deployed	Deployed	Deployed
Morrison	MRSNCOMARS1	RSC (Remote)	EIA	Via Host	Via Host	EIA
Lakewood	LKWDCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Littleton-Highlands Ranch	LTTNCOHLDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Littleton-Main	LTTNCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Lookout Mountain	LKMTCOMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Northglenn	NGLNCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Parker	PRKRCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Westminster	WMNSCOMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
GRAND JUNCTION TANDEM	GDJTCOMA03T	DMS1/200 (Tandem)			Deployed	
Cortez	CRTZCOMADS0	DMS100 (Host)		Deployed	Deployed	
Mancos	MNCSCOMARS1	RSC (Remote)		Via Host	Via Host	
Mesa Verde	MVNPCOMARS1	RSC (Remote)		Via Host	Via Host	
Delta	DELTCOMADS1	C15	EIA	Deployed	Deployed	EIA
Durango	DURNCOMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*



**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN SERVING VEHICLE OR EIA/HOST OFFICE</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Bayfield	BYFDCOMARS1	RSC (Remote)		Via Host	Via Host	
Silverton	SLTNCOMARS1	RSC (Remote)		Via Host	Via Host	
Grand Junction	GDJTCOMADS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Parachute	PACHCO01DS0			Deployed	Deployed	
Montrose	MTRSCOMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Olathe	OLTHCOMARS1	RSC (Remote)		Via Host	Via Host	
Ouray	OURYCOMARS1	RSC (Remote)		Via Host	Via Host	
Ridgeway	RDGWCOMARS1	RSC (Remote)		Via Host	Via Host	
Telluride	TLRDCOMADS0	DMS10		Deployed	Deployed	
Clifton	CFTNCONMDS0	DMS100 (Host)		Deployed	Deployed	
Debeque	DBEQCONCRS2	RSC (Remote)		Via Host	Via Host	
Palisade	PLSDCOMARS1	RSC (Remote)		Via Host	Via Host	

**CO EXTENDED BRI ISDN  
AVAILABILITY**

Air Force Academy	AFACCOMADS0	EIA/Pikeview		Via Host	Via Host	Via Host
Berthoud	BRTHCOMADS0	EIA/Loveland		Via Host	Via Host	Via Host
Delta	DELTCOMADS0	EIA/Montrose		Via Host	Via Host	Via Host
Erie	ERIECOMARS1	EIA/Cottonwood		Via Host	Via Host	Via Host
Estes Park	ESPKCOMADS1	EIA/Loveland		Via Host	Via Host	Via Host
Fort Lupton	FTLPCOMADS0	EIA/Brighton		Via Host	Via Host	Via Host
Frederick	FRDRCOMADS0	EIA/Brighton		Via Host	Via Host	Via Host
Hudson	HDSNCOMARS1	EIA/Brighton		Via Host	Via Host	Via Host
Morrison	MRSNCOMARS1	EIA/Golden		Via Host	Via Host	Via Host
Niwot	NIWTCOMADS0	EIA/Longmont		Via Host	Via Host	Via Host
Parkview	GRELCOJCDS0	EIA/Greeley-Main		Via Host	Via Host	Via Host

**Idaho**

<b>BOISE MAIN TANDEM</b>	<b>BOISIDMA01T</b>	<b>DMS1/200 (Tandem)</b>			Deployed	
Boise-Main	BOISIDMADS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Boise-Main	BOISIDMADS3	5ESS	Deployed	Deployed	Deployed	Deployed
Boise – Northwest	BOISIDNWDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Boise-Southwest	BOISIDSWDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Boise-West	BOISIDWEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Burley	BRLYIDMADS0	DMS100 (Host)		Deployed	Deployed	
Declo	DECLIDMARS2	RSC (Remote)		Via Host	Via Host	
Caldwell	CLWLIDMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Eagle	EAGLIDNMDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Hailey	HALYIDMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Idaho Falls	IDFLIDMADS1	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Roberts	RBRTIDMARS2	RSC (Remote)		Via Host	Via Host	
Jerome	JERMIDNMDS0	DMS100		Deployed	Deployed	
Ketchum	KTCHIDMADS1	C15		Deployed	Deployed	
Meridian	MRDNIDMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Nampa	NMPAIDMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Ontario (See Note)	ONTRORXCDS0	5ESS		Deployed	Deployed	
Nyssa	NYSSORXCRS1	5RSM		Via Host	Via Host	
Oregon Slope	ORSLORXCRS1	5RSM		Via Host	Via Host	
Vale	VALEORXCRS1	5RSM		Via Host	Via Host	
Pocatello-Main	PCTLIDMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Rexburg	RXBGIDMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Twin Falls	TWFLIDMADS0	DMS100	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
Note: Lewiston-Sherwood and Cottonwood are served out of the Spokane-Riverside LATA Tandem (SPKNWA01C9T)	Note: Ontario (Hosts & Remotes) reside in OR and are served out of the Boise LATA Tandem (BOISIDMA01T)					
ID EXTENDED BRI ISDN AVAILABILITY						
Pocatello-North	PCTLIDNODS0	EIA/Pocatello Main RS0	Via Host		Via Host	Via Host
<b>Iowa</b>						
<b>CEDAR RAPIDS DT TANDEM</b>	CDRRIADT27T	DMS1/200 (Tandem)			Deployed	
Cedar Falls	CDFLIACODS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Denver	DNVRIACORS1	RSC (Remote)		Via Host	Via Host	
Dike	DIKEIACORS1	RSC (Remote)		Via Host	Via Host	
Hudson	HDSNIACORS1	RSC (Remote)		Via Host	Via Host	
New Hartford	NHFRIACORS1	RSC (Remote)		Via Host	Via Host	
Parkersburg	PRBGIACORS3	RSC (Remote)		Via Host	Via Host	
Waterloo-Washburn	WTRLIAWSRS2	RSC (Remote)		Via Host	Via Host	
Waverly	WVRLIACORS3	RSC (Remote)		Via Host	Via Host	
Cedar Rapids-Downtown	CDRRIADTDS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Cedar Rapids-Marion	CDRRIAMNDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Cedar Rapids North	CDRRIANODS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Mt. Vernon	MTVRIACORS8	RSC (Remote)		Via Host	Via Host	
Cedar Rapids-West	CDRRIAWSDS0	DMS100	Deployed		Deployed	Deployed
Decorah	DCRHIACODS0	DMS100		Deployed	Deployed	
Iowa City	IWCYIATCDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Waterloo-Downtown	WTRLIADTDS1	DMS100	Deployed	Deployed	Deployed	Deployed
<b>DAVENPORT EAST TANDEM</b>	DVNPIAEA17T	5ESS (Tandem)			Deployed	
Burlington	BURLIATCDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Fort Madison	FTMDIATCRS3	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Keokuk	KEKKIACORS5	5RSM (Remote)		Via Host	Via Host	
Clinton	CLTNIACODS0	DMS100(Host)		Deployed	Deployed	
Clinton-Camanche	CLTNIACCRS2	RSC (Remote)		Via Host	Via Host	
Maquoketa	MQKTIACORS6	RSC (Remote)		Via Host	Via Host	
Davenport-Downtown	DVNPIADTDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Davenport-East	DVNPIAEADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Davenport-NE	DVNPIANERS1	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Davenport-Northwest	DVNPIANWDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Dubuque Downtown	DUBQIATCDS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Dubuque-Northwest	DUBQIANWRS5	RSC (Remote)		Via Host	Via Host	
Muscatine	MSCTIACODS0	DMS100	EIA	Deployed	Deployed	EIA
<b>DES MOINES DT TANDEM</b>	DESMIADT18T	5ESS (Tandem)			Deployed	
Altoona	ALNAIACODS1	5ESS	Deployed	Deployed	Deployed	Deployed
Ankeny	ANKNIACODS0	DMS100	EIA	Deployed	Deployed	EIA
Ames-Downtown	AMESIATCDS0	DMS100	EIA	Deployed	Deployed	EIA
Ames-West	AMESIAWSDS0	DMS100	EIA	Deployed	Deployed	EIA
Boone	BOONIACODS0	DMS100	EIA	Deployed	Deployed	EIA

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN BRI</b>	<b>ISDN PRI</b>	<b>64CCC</b>	<b>X75'</b>
			<b>OFFICE DATE</b>	<b>DATE</b>	<b>DATE</b>
Des Moines-Ashworth	DESMIAAWDS0	5ESS (Host)	Deployed	Deployed	Deployed
Granger	GRNGIACORS1	5RSM (Remote)	EIA	Via Host	Via Host
Des Moines-Downtown	DESMIADTDS1	5ESS	Deployed	Deployed	Deployed
Des Moines-East	DESMIAEADS0	5ESS (Host)	Deployed	Deployed	Deployed
Colfax	CLFXIACORS0	5RSM (Remote)	EIA	Via Host	Via Host
Prairie City	PRCYIACORS0	5RSM (Remote)	EIA	Via Host	Via Host
Runnels	RNLSIACORS0	5RSM (Remote)	EIA	Via Host	Via Host
Des Moines-Northwest	DESMIANWDS0	5ESS	Deployed	Deployed	Deployed
Des Moines-South	DESMIASODS0	5ESS (Host)	Deployed	Deployed	Deployed
Carlise-Hartford	CRLSIACORS9	5RSM (Remote)	EIA	Via Host	Via Host
Norwalk	NRWLIACORS9	5RSM (Remote)	EIA	Via Host	Via Host
Des Moines-West	DESMIAWSDS0	5ESS	Deployed	Deployed	Deployed
Marshalltown	MRTWIASODS0	DMS100		Deployed	Deployed
Indianola	INDNIACODS1	DMS100	EIA	Deployed	Deployed
Ottumwa	OTTMIA TCDS0	DMS100		Deployed	Deployed
Waukee	WAUKIACODS1	5ESS	Deployed	Deployed	Deployed
Council Bluffs	CNBLIAWADS1	DMS100 (Host)	Deployed	Deployed	Deployed
Crescent	CRSCLACORS1	RSC (Remote)		Via Host	Via Host
Neola	NEOLIACORS1	RSC (Remote)		Via Host	Via Host
Underwood	UNWDIACORS1	RSC (Remote)		Via Host	Via Host

(Note: Council Bluffs IA is served out of the Omaha LATA Tandem (OMAHNENW03T))

<b>MASON CITY TANDEM</b>	<b>MSCYIATC27T</b>	<b>DMS1/200 (Tandem)</b>			
Mason City	MSCYIATCDS0	DMS1/200 (Host)		Deployed	Deployed
Ackley	ACKLIACORS8	RSC (Remote)		Via Host	Via Host
Britt	BRTTIACORS8	RSC (Remote)		Via Host	Via Host
Charles City	CHCYIATCRS2	RSC (Remote)		Via Host	Via Host
Garner	GRNRACORS9	RSC (Remote)		Via Host	Via Host
Hampton/Geneya	HMPNIACORS4	RSC (Remote)		Via Host	Via Host
Livermore	LVMRIACORS3	RSC (Remote)		Via Host	Via Host
Manly	MNLYIACORS4	RSC (Remote)		Via Host	Via Host
Nashua	NASHIACORS4	RSC (Remote)		Via Host	Via Host
Northwood	NWODIACORS3	RSC (Remote)		Via Host	Via Host
Osage	OSAGIACORS7	RSC (Remote)		Via Host	Via Host

<b>SIoux CITY-DT TANDEM</b>	<b>SXCYIADT37T</b>	<b>DMS1/200 (Tandem)</b>			
Sioux City-Downtown	SXCYIADTDS1	DMS1/200	Deployed	Deployed	Deployed
Sioux City Morningside	SXCYIAMS DS0	DMS100 (Host)		Deployed	Deployed
Cherokee	CHRKIAMSRS2	RSC (Remote)		Via Host	Via Host
Sioux City Leeds	SXCYIALDRS2	RSC (Remote)		Via Host	Via Host
South Sioux City	SSCYNENWDS0			Deployed	Deployed

Note: South Sioux City NE is served out of the Sioux City IA LATA Tandem (SXCYIADT37T)

<b>SPENCER LATA TANDEM</b>	<b>SPNCIATC37T</b>	<b>DMS 1/200 (Tandem)</b>			
Spencer	SPNCIATCDS0	DMS1/200		Deployed	Deployed
Storm Lake	STLKIATCDS0	DMS100		Deployed	Deployed
Spirit Lake	SPLKIACODS0			Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above*  
 EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
 Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
<b>IA EXTENDED BRI ISDN AVAILABILITY</b>						
Adel	ADELIACORS9	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Ames-Downtown	AMESIATCDS0	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Ames-West	AMESIAWSDS0	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Ankeny	ANKNIACODS0	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Boone	BOONIACODS0	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Carlisle-Hartford	CRLSIACORS9	EIA/Des Moines-South	Via Host		Via Host	Via Host
Colfax	CLFXIACORS0	EIA/Des Moines-East	Via Host		Via Host	Via Host
Dallas Center	DLCTIACERS9	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Davenport-Northeast	DVNPIANERS1	EIA/Davenport-East	Via Host		Via Host	Via Host
Davenport-West	DVNPIA WSRS3	EIA/Davenport-Northwest	Via Host		Via Host	Via Host
Earlham	ERHMIACORS7	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Fort Madison	FTMDIATCRS3	EIA/Burlington	Via Host		Via Host	Via Host
Granger	GRNGIACORS1	EIA/Des Moines-Ashworth	Via Host		Via Host	Via Host
Grimes	GRMSIACORS1	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Indianola	INDNIACODS1	EIA/Des Moines-South	Via Host		Via Host	Via Host
Muscatine	MSCTIACODS0	EIA/Davenport-Northwest	Via Host		Via Host	Via Host
Norwalk-Cumming	NRWLIACORS9	EIA/Des Moines-South	Via Host		Via Host	Via Host
Perry-Dawson	PRRYIACORS4	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Polk City	PKCYIACORS9	EIA/Des Moines-DT	Via Host		Via Host	Via Host
Prairie City	PRCYIACORS0	EIA/Des Moines-East	Via Host		Via Host	Via Host
Runnells	RNLSIACORS0	EIA/Des Moines-East	Via Host		Via Host	Via Host
<b>Van Meter</b>	<b>VNMTIACORS9</b>	EIA/Des Moines-DT	Via Host		Via Host	Via Host
<b>Winterset</b>	<b>WNTRIACORS4</b>	EIA/Des Moines-DT	Via Host		Via Host	Via Host
<b>Minnesota</b>						
<b>DULUTH MELROSE TANDEM</b>						
Duluth-Melrose	DLTHMNME12T	5ESS (Tandem)			Deployed	
Barnum	BRNMMNBARS3	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Cloquet	CLQTMNCARS8	5RSM (Remote)		Via Host	Via Host	
Duluth-Carlton	CRTOMNCBRS3	5RSM (Remote)		Via Host	Via Host	
Duluth-Hemlock	DLTHMN AFRS7	5RSM (Remote)		Via Host	Via Host	
Duluth-Calumet	DLTHMNCBRS6	5RSM (Remote)		Via Host	Via Host	
Duluth-Douglas	DLTHMND BRS6	5RSM (Remote)		Via Host	Via Host	
Duluth-Lakeside	DLTHMN LARS5	5RSM (Remote)		Via Host	Via Host	
Duluth-Pike Lake	DLTHMN P LRS7	5RSM (Remote)		Via Host	Via Host	
Finland	FNLDMNFORS3	5RSM (Remote)		Via Host	Via Host	
Island Lake	ISLKMNILRS1	5RSM (Remote)		Via Host	Via Host	
Moose Lake	MOLKMNMLRS4	5RSM (Remote)		Via Host	Via Host	
Silver Bay	SLBAMNSARS2	5RSM (Remote)		Via Host	Via Host	
<b>GOLDEN VALLEY ORCHARDS TANDEM</b>						
Anoka	ANOKMNANDS0	DMS200 (Tandem)			Deployed	
Blaine	BLANMNB LDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Brooklyn Center	BRCTMNBC56G	5ESS	Deployed	Deployed	Deployed	Deployed
Bloomington-Cedar	BLTNMNCEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Bloomington-Normandale	BLTNMNNODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Bloomington-South	BLTNMNSODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Buffalo	BFLOMNBUDS1	5ESS	Deployed	Deployed	Deployed	Deployed
Burnsville	BRVLMNBU89G	5ESS	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
Gaylord	GYLRMNGARS2	RSC (Remote)		Via Host	Via Host	
Le Suer	LESRMNLSRS6	RCS (Remote)		Via Host	Via Host	
Coon Rapids	CNRPMNNDSD0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Cambridge	CMBRMNCARS6	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Isanti	ISNTMNISRS4	5RSM (Remote)	EIA	Via Host	Via Host	EIA
North Branch	NBRNMNMBRS6	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Oak Grove	OKGVMNOGRS7	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Princeton	PRTNMNPRRS3	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Soderville	SDVLMNSORS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Cleveland	NWBTMNC LDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Cottage Grove	CTGVMNCG45G	5ESS	Deployed	Deployed	Deployed	Deployed
Crystal	CRYSMNCRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Eagan-Lexington	EAGNMNLB45G	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Burnsville	BRVLMNBURS1	RSC (Remote)	Deployed		Via Host	Via Host
Eden Prairie	EDPRMNNEP94G	5ESS	Deployed	Deployed	Deployed	Deployed
Forest Lake	FRLKMNFLDS0	DMS100	EIA	Deployed	Deployed	EIA
Glen Prairie	EDPRMNGPDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Elk River	EKRVMNERDS0	DMS100	EIA	Deployed	Deployed	EIA
Excelsior	EXCLMNEX47G	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Hamel	HAML MNHBRS4	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Hanover	HNV RMNH BRS4	5RSM (Remote)		Via Host	Via Host	
Navarre	NVRR MN NARS4	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Fridley	FRDLMNFRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Hopkins	HPKNMNHODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Maplewood	MPWDMNMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
St Paul-Beech	STPLMNBERSA	5RSM (Remote)	Deployed		Via Host	Via Host
St Paul-Lexington	EAGNMNLBRS4	5RSM (Remote)	Deployed		Via Host	Via Host
Afton	AFTNMNAFRS4	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Red Wing	RDWNMNRWDS0	DMS100 (Host)	EIA	Deployed	Deployed	EIA
Wabasha	WBSHMNWARS5	RSC (Remote)		Via Host	Via Host	
St Paul-Rice Street	SHVWMNRIDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Blaine (NPA Ovly)	BLANMNB LRS0	5RSM (Remote)	Deployed		Via Host	Via Host
St Paul-Stillwater	STWRMNSTDS0	DMS100	Deployed	Deployed	Deployed	Deployed
North St Paul-Park Row	NSPLMNPRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Orchard	GLVYMNORDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Plymouth-Fernbrook	PLMOMNFEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
66th St	RCFDMN66DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Shakopee	SHKPMNSHDS2	5ESS	Deployed	Deployed	Deployed	Deployed
St Paul-Beech	STPLMNBEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
St Paul-Emerson	STPLMNEMDS0	5ESS	Deployed	Deployed	Deployed	Deployed
St Paul-Front St.	STPLMNH BDS0	DMS100	Deployed	Deployed	Deployed	Deployed
St Paul-Midway	STPLMNMIDS0	5ESS	Deployed	Deployed	Deployed	Deployed
St Paul-Market	STPLMNMK29G	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
St Paul-Cleveland	NWBTMNC LRS4	5RSM (Remote)	Deployed		Via Host	Via Host
St Paul-Market	STPLMNMKDS4	5ESS	Deployed	Deployed	Deployed	Deployed
St Paul-West (Oakdale)	WSPLMNWSDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Wayzata	WYZTMNWADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Rockford	RCFRMNRORS4	5RSM (Remote)	EIA	Via Host	Via Host	EIA
White Bear Lake	WBLKMNBWDS0	5ESS	Deployed	Deployed	Deployed	Deployed
MPLS DOWNTOWN TANDEM	MPLSMNDT12T	5ESS (Tandem)			Deployed	

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN SERVING VEHICLE OR EIA/HOST OFFICE</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Mpls-7 <sup>th</sup> Ave	MPLSMN07DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Mpls-Bear	MPLSMNBEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Mpls-Bryant	MPLSMNBBDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Mpls-Central Ave	MPLSMNGEDS0	DMS100	Deployed	Deployed	Deployed	
Mpls-Downtown	MPLSMNDTDS7	5ESS	Deployed	Deployed	Deployed	Deployed
Mpls-Downtown	MPLSMNDT62G	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Bloomington-Cedar	BLTNMNCERSA	5RSM (Remote)	Deployed		Via Host	Via Host
Bloomington- Normendale	BLTNMNNORSA	5RSM (Remote)	Deployed		Via Host	Via Host
Mpls-7th Ave	MPLSMN07RSA	5RSM (Remote)	Deployed		Via Host	Via Host
Mpls-Brooklyn Center	BRCTMNBCRS0	5RSM (Remote)	Deployed		Via Host	Via Host
Mpls-Central Ave	MPLSMNGERSA	5RSM (Remote)	Deployed		Via Host	Via Host
Mpls-Ft Snelling	MPLSMNFS72G	DMS100	Deployed	Deployed	Deployed	Deployed
Mpls-Franklin	MPLSMNFRDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Mpls-Penn Ave	MPLSMNPEDS1	5ESS	Deployed	Deployed	Deployed	Deployed
Mpls-Pillsbury	MPLSMNPIDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Mpls-24 <sup>th</sup> Ave	MPLSMNTFDS0	DMS100	Deployed	Deployed	Deployed	Deployed
<b>OWATONNA TANDEM</b>	<b>OWTNMNOW12T</b>	<b>5ESS</b>			Deployed	
Albert Lea	ALLEMNALDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Austin	AUSTMNAB43G	5ESS	Deployed	Deployed	Deployed	Deployed
Faribault	FRBLMNFADS1	5ESS	Deployed	Deployed	Deployed	Deployed
Northfield	NRFDMMNODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Owatonna	OWTNMNOW45G	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Chatfield	CTFDMNCHRS8	5RSM (Remote)		Via Host	Via Host	
Glenville	GLVLMNGLRS4	5RSM (Remote)		Via Host	Via Host	
St. Charles	STCHMNSCRS9	5RSM (Remote)		Via Host	Via Host	
Stewartville	STVLMNSTRS5	5RSM (Remote)		Via Host	Via Host	
St Peter	STPRMNSPDS0	DMS100 (Host)		Deployed	Deployed	
Nicollet	NCLTMNNCRS2	RSC (Remote)		Via Host	Via Host	
<b>ROCHESTER TANDEM</b>	<b>ROCHMNRO12T</b>	<b>5ESS (Tandem)</b>			Deployed	
Rochester	ROCHMNRODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Winona	WINOMNW145G	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Caledonia	CLDNMNCARS7	RSC (Remote)		Via Host	Via Host	
Marshall	MRSHMNMA53G	DMS100 (Host)	EIA	Deployed	Deployed	EIA
Redwood Falls	RDFLMNRARS6	RSC (Remote)		Via Host	Via Host	
Tracy	TRACMNTRRS6	RSC (Remote)		Via Host	Via Host	
<b>ST CLOUD TANDEM</b>	<b>STCDMNT012T</b>	<b>DMS1/200 (Tandem)</b>	Deployed			
St Cloud	STCDMNT025G	DMS1/200 (Host)	Deployed	Deployed	Deployed	Deployed
Avon	AVONMNVORS3	RSC (Remote)		Via Host	Via Host	
Cold Spring	CLSPMNCBRS6	RSC (Remote)		Via Host	Via Host	
St. Joseph	STJSMNSJRS3	RSC (Remote)		Via Host	Via Host	
Foley	FOLYMNFOR9	RSC (Remote)		Via Host	Via Host	
Holdingford	HLFRMNCORS7	RSC (Remote)		Via Host	Via Host	
Willmar	WLMRMNWIDSO	DMS100 (Host)	EIA	Deployed	Deployed	EIA
Appleton	APPLMNAPRS2	RSC (Remote)		Via Host	Via Host	
Litchfield	LTFDMNLIRS6	RSC (Remote)		Via Host	Via Host	
Montevideo	MTVDMNMORS2	RSC (Remote)		Via Host	Via Host	
Morris	MRRSMNMORS5	RSC (Remote)		Via Host	Via Host	
Oliva-Bird Island	OLIVMNOLRS5	RSC (Remote)		Via Host	Via Host	
Ortonville	ORVLMNORRS8	RSC (Remote)		Via Host	Via Host	

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN BRI</b>	<b>ISDN PRI</b>	<b>64CCC</b>	<b>X75'</b>
			<b>OFFICE DATE</b>	<b>DATE</b>	<b>DATE</b>
<b>WADENA TANDEM</b>	WADNMNWA12T	DMS1/200 (Tandem)			Deployed
Bemidji	BMDJMNBE75G	DMS100 (Host)		Deployed	Deployed
Cass Lake	CSSLMNCLRS3	RSC (Remote)		Via Host	Via Host
Brainerd	BRNRMNBRDS0	DMS100 (Host)	Deployed	Deployed	Deployed
Nisswa	NSSWMNNIRS9	RSC (Remote)		Via Host	Via Host
Detroit Lakes	DTLKMNDLDS0	5ESS (Host)	Deployed	Deployed	Deployed
Hawley	HWLYMNHARS4	5RSM (Remote)		Via Host	Via Host
Mahnommen	MHNMMNMARS9	5RSM (Remote)		Via Host	Via Host
Fergus Falls	FRFLMNF73G	DMS100		Deployed	Deployed
Note: Brainerd Minnesota LATA customers served out of the Fargo-Moorhead, ND (FARGNDBC23G) switch have access to ISDN.					
Note: Brainerd Minnesota LATA customers served out of the Grand Forks, ND (GDFRNDBC77G) switch have access of ISDN.					
Please look under North Dakota for specific ISDN capabilities out of Fargo-Moorhead.					
Please look under North Dakota for specific ISDN capabilities out of Grand Forks.					
<b>MN EXTENDED BRI ISDN AVAILABILITY</b>					
Cambridge	CMBRMNCARS6	EIA/Mpls-Downtown 62G		Via Host	Via Host
Mpls-Hanover	HNVRMNHBR54	EIA/Mpls-Wayzata		Via Host	Via Host
Little Falls	LTFMLNLFDS0	EIA/St Cloud		Via Host	Via Host
Marshall	MRSHMNMA53G	EIA/Rochester		Via Host	Via Host
Mpls-Elk River	EKRVMNERDS0	EIA/Anoka		Via Host	Via Host
Mpls-Isanti	ISNTMNISRS4	EIA/Mpls-Downtown 62G		Via Host	Via Host
Mpls-Navarre	NVRRMNNARS4	EIA/Mpls-Excelsior		Via Host	Via Host
Mpls-Rockford	RCFRMNRORS4	EIA/Mpls-Wayzata		Via Host	Via Host
North Branch	NBRNMNNBRS6	EIA/Mpls-St Paul Market		Via Host	Via Host
Oak Grove	OKGVMNOGRS7	EIA/Mpls-Coon Rapids		Via Host	Via Host
Ptincton	PRTNMNPRRS3	EIA/Mpls-Anoka		Via Host	Via Host
Red Wing	RDWNMNRWDS0	EIA/St Paul-Cottage Grove		Via Host	Via Host
St Paul-Afton	AFTNMNAFRS4	EIA/St Paul-Maplewood		Via Host	Via Host
St Paul-Forest Lake	FRLKMNFLDS0	EIA/St Paul-Market		Via Host	Via Host
Willmar	WLMRMNWIDS0	EIA/St Cloud		Via Host	Via Host
<b>Montana</b>					
<b>BILLINGS WEST TANDEM</b>	BLNGMTWE01T	5ESS (Tandem)			Deployed
Belgrade	BLGRMTMADS0	5ESS	Deployed	Deployed	Deployed
Billings-Main	BLNGMTMADS1	5ESS (Host)	Deployed	Deployed	Deployed
Coalstrip	CLSTMTMARS1	5RSM (Remote)		Via Host	Via Host
Billings-West	BLNGMTWEDS0	5ESS (Host)	Deployed	Deployed	Deployed
Shepherd	SHPHMTMARS1	5RSM (Remote)		Via Host	Via Host
Bozeman	BZMNMTMADS0	5ESS (Host)	Deployed	Deployed	Deployed
Amsterdam	AMSTMTMARS1	5RSM (Remote)		Via Host	Via Host
Gallatin Gateway	GLGTMTMARS1	5RSM (Remote)		Via Host	Via Host
Manhattan	MNHTMTMARS1	5RSM (Remote)		Via Host	Via Host
Three Forks	THFKMTMARS1	5RSM (Remote)		Via Host	Via Host
<b>GREAT FALLS TANDEM</b>					
	GRFLMTMA03T	5ESS (Tandem)			Deployed
Great Falls	GRFLMTMADS0	5ESS (Host)	Deployed	Deployed	Deployed
Conrad	CNRDMTMARS1	5RSM (Remote)		Via Host	Via Host

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST**

LOCATIONS	CLLI	ISDN BRI	ISDN PRI 64CCC	X75'
			OFFICE DATE	DATE DATE
Cascade	CSCDMTMARS1	5RSM (Remote)	Via Host	Via Host
Dutton	DTTNMTMARS1	5RSM (Remote)	Via Host	Via Host
Ulm	ULM_MTMARS1	5RSM (Remote)	Via Host	Via Host
Vaughm	VGHNMTMARS1	5RSM (Remote)	Via Host	Via Host
<b>HELENA TANDEM</b>	<b>HLNAMTMA03T</b>	<b>5ESS (Tandem)</b>		Deployed
Butte-Main	BUTTMT09DS0	5ESS (Host)	Deployed	Deployed
Butte South	BUTTMT18RS1	5RSM (Remote)	Via Host	Via Host
Helena-Main	HLNAMTMADS0	5ESS (Host)	Deployed	Deployed
Helena North	HLNAMTNORS1			
Anaconda	ANCNMTMARS1	5RSM (Remote)		
East Helena	EHLNMTMARS1	AX/RSS (Remote) 5RSM (Remote)	EIA EIA EIA	E I A E I A E I A
<b>MISSOULA TANDEM</b>	<b>MSSLMTMA03T</b>	<b>5ESS (Tandem)</b>		Deployed
Missoula-Main	MSSLMTMADS0	5ESS (Host)	Deployed	Deployed
Frenchtown	FCTWMTMARS1	5RSM (Remote)	Via Host	Via Host
Lolo	LOLOMTMARS1	5RSM (Remote)	Via Host	Via Host
Missoula South	MSSLMTSORS1	5RSM (Remote)	EIA	EIA
Milltown	MLTWMTMARS1	5RSM (Remote)	EIA	EIA
<b>MT EXTENDED BRI ISDN AVAILABILITY</b>				
Clancy	CLNCMTMARS1	EIA/Helena-Main	Via Host	Via Host
Helena North	HLNAMTNORS1	EIA/Helena-Main	Via Host	Via Host
East Helena	EHLNMTMARS1	EIA/Helena-Main	Via Host	Via Host
Missoula South	MSSLMTSORS1	EIA/Missoula-Main	Via Host	Via Host
Milltown	MLTWMTMARS1	EIA/Missoula-Main	Via Host	Via Host
<b>Nebraska</b>				
<b>GRAND ISLAND TANDEM</b>	<b>GDISNENW26T</b>	<b>DMS1/200 (Tandem)</b>		Deployed
Grand Island	GDISNENWDS0	DMS1/200 (Host)	Deployed	Deployed
Atlanta	ATLNNENWRS1	RSC (Remote)	Via Host	Via Host
Axtell	AXTLNENWRS1	RSC (Remote)	Via Host	Via Host
Farwell	FRWLNENWRS1	RSC (Remote)	Via Host	Via Host

CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
 EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
 Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
 on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)



**ISDN SERVING  
VEHICLE OR  
EIA/HOST**

LOCATIONS	CLLI	ISDN BRI	ISDN PRI	64CCC OFFICE DATE	X75' DATE
Fullerton	FUTNNENWRS1	RSC (Remote)		Via Host	Via Host
Silver Creek	SLCKNENWRS1	RSC (Remote)		Via Host	Via Host
North Platte	NPLTNENWDS0	DMS100 (Host)	Deployed	Deployed	Deployed
Lexington	LXTNNENWRS1	RSC (Remote)		Via Host	Via Host
Ogallala	OGLLNENWRS1	RSC (Remote)		Via Host	Via Host
<b>NORFOLK TANDEM</b>	<b>NRFLNENW26T</b>	<b>DMS1/200 (Tandem)</b>			Deployed
Norfolk	NRFLNENWDS0	DMS100 (Host)		Deployed	Deployed
Wayne	WAYNNEUWRS1	RSC (Remote)		Via Host	Via Host
Randolph	RNDHNENWRS1	RSC (Remote)		Via Host	Via Host
Humphrey	HMPHNENWRS2	RSC (Remote)		Via Host	Via Host
Wakefield	WKFDNENWRS2	RSC (Remote)		Via Host	Via Host
Laurel	LARLNENWRS2	RSC (Remote)		Via Host	Via Host
Pilger	PLGRNENWRS4	RSC (Remote)		Via Host	Via Host
<b>OMAHA TANDEM</b>	<b>OMAHNENW03T</b>	<b>5ESS (Tandem)</b>			Deployed
Fremont	FRMTNENWDS0	DMS100 (Host)		Deployed	Deployed
Clarkson	CKSNNEUWRS1	RSC (Remote)		Via Host	Via Host
Emerson	EMSNNENWRS1	RSC (Remote)		Via Host	Via Host
Howells	HWLSNENWRS1	RSC (Remote)		Via Host	Via Host
Lyons	LYNSNENWRS1	RSC (Remote)		Via Host	Via Host
Oakland	OKLDNEUWRS1	RSC (Remote)		Via Host	Via Host
Pender	PNDRNEUWRS1	RSC (Remote)		Via Host	Via Host
Schuyler	SCHLNENWRS1	RSC (Remote)		Via Host	Via Host
Tekamah	TKMHNENWRS1	RSC (Remote)		Via Host	Via Host
West Point	WSPNNENWRS1	RSC (Remote)		Via Host	Via Host
Elkhorn-Waterloo	ELKHENWDS0	5ESS	Deployed	Deployed	Deployed
Omaha-Bellevue	OMAHNEBDS0	5ESS	Deployed	Deployed	Deployed
Omaha-Douglas	OMAHNENWDS1	5ESS		Deployed	Deployed
Omaha-Fort Street	OMAHNEFODS0	5ESS	Deployed	Deployed	Deployed
Omaha-Fowler Street	OMAHNEFWDS0	5ESS (Host)	Deployed	Deployed	Deployed
Bennington	BGTNNECORS1	5RSM (Remote)		Via Host	Via Host
Gretna	GRETENWRS1	5RSM (Remote)		Via Host	Via Host
Omaha-Izard Street	OMAHNEIZDS0	5ESS	Deployed	Deployed	Deployed
Omaha-O Street	OMAHNEOSDS0	5ESS	Deployed	Deployed	Deployed
Omaha-78th St	OMAHNE78DS0	5ESS	Deployed	Deployed	Deployed
Omaha-84th St	OMAHNE84DS0	DMS100 (Host)	Deployed	Deployed	Deployed
Springfield	SPFDNENWRS2	RSC (Remote)		Via Host	Via Host
Valley	VLLYNENWRS3	RSC (Remote)		Via Host	Via Host
Manawa	CNBLIAMWRS3	RSC (Remote)		Via Host	Via Host
Omaha-90 <sup>th</sup> St	OMAHNE90DS0	5ESS	Deployed	Deployed	Deployed
Omaha-135th St	OMAHNECEDS0	5ESS	Deployed	Deployed	Deployed
Omaha-156 St	OMAHNEHADS0	5ESS	Deployed	Deployed	Deployed
Council Bluffs	CNBLIAWADS1	DMS 100 (Host)	Deployed	Deployed	Deployed
Crescent	CRSCIACORS1	RSC (Remote)		Via Host	Via Host
Neola	NEOLIACORS4	RSC (Remote)		Via Host	Via Host
Underwood	UNWDIACORS5	RSC (Remote)		Via Host	Via Host

Note: Council Bluffs, IA is served out of the OMAHA TANDEM (OMAHNENW03T)

Note: South Sioux City NE is served out of the Sioux City IA LATA Tandem (SXCYIADT37T)

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above. EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch. Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
SIDNEY TANDEM	SDNYNENW06T	DMS1/200 (Tandem)			Deployed	
Sidney	SDNYNENWDS0	DMS1/200 (Host)		Deployed	Deployed	
Alliance	ALNCNENWRS1	RSC (Remote)		Via Host	Via Host	
Bridgeport	BRPTNENWRS1	RSC (Remote)		Via Host	Via Host	
<b>New Mexico</b>						
ALBQ MAIN TANDEM	ALBQNMMA03T	DMS200 (Tandem)			Deployed	
Alamogordo-Main	ALMGNMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Alamogordo West	ALMGNMWERS1	5RSM (Remote)		Via Host	Via Host	
Albuquerque-Academy	ALBQNMACDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Albuquerque-Corrales	ALBQNMCRDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Albuquerque-East	ALBQNMEADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Albuquerque-Main	ALBQNMADS2	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Moriarty	MRTYNMMARS1	5RSM (Remote)		Via Host	Via Host	
Mountainair	MTNRNMMARS1	5RSM (Remote)		Via Host	Via Host	
Estancia	ESTNNMMARS1	5RSM (Remote)		Via Host	Via Host	
Pena Blanca	PNBLNMMARS1	5RSM (Remote)		Via Host	Via Host	
Albuquerque-North	ALBQNMNODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Albuquerque-Northeast	ALBQNMNEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Albuquerque-Rio Rancho	ALBQNMRRDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Albuquerque-San Mateo	ALBQNMMSDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Albuquerque-Southwest	ALBQNMWSDS0	DMS100	Deployed		Deployed	Deployed
Albuquerque-West	ALBQNMWEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Belen Main	BELNNMMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Bernalillo	BRNLNMMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Clovis Main	CLVSNMMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Clovis West	CLVSNMWERS1	RSC (Remote)		Via Host	Via Host	
Portales	PTLSNMMARS1	RSC (Remote)		Via Host	Via Host	
Tucumcari	TCMCNMMARS1	RSC (Remote)	Deployed	Via Host	Via Host	Via Host
Deming	DMNGNMMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Farmington-Main	FRTNNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Aztec Bloomfield	AZTCNMBLRS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Aztec Main	AZTCNM03RS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Farmington West	FRTNNMWERS1	5RSM (Remote)		Via Host	Via Host	
Gallup Main	GLLPNMMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Gallup East	GLLPNMEARS1	RSC (Remote)	Deployed	Via Host	Via Host	Via Host
Ft. Wingate	GLLPNMFWRS1	RSC (Remote)		Via Host	Via Host	
Grants-Main	GRNTNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Lacuna Acoma	LAACNM01RS1	5RSM (Remote)		Via Host	Via Host	
Las Cruces - Amber Mesa	LSCRNM16DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Las Cruces-Main	LSCRNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Anthony	ANTHNMMARSA	5RSM (Remote)		Via Host	Via Host	
Chaparral	CHAPNMMARS1	5RSM (Remote)		Via Host	Via Host	
Hatch	HATCNMMARS1	5RSM (Remote)		Via Host	Via Host	
La Mesa	LAMSNMMARS1	5RSM (Remote)		Via Host	Via Host	
Santa Teresa	SNTSNMAARSA	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Las Cruces-Telshor	LSCRNMNTSDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Las Vegas	LSVGNMMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Los Alamos	LSALNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Santa Fe-North	SNFENMNORS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
White Rock	LSALNMWRRS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Los Lunas Main	LSLNNMMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Los Lunas North	LSLNNMNORS1	RSC (Remote)		Via Host		
Socorro	SCRRNMMARS1	RSC (Remote)		Via Host		
Raton	RATNNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Cimarron	CMRNNMMARS1	5RSM (Remote)		Via Host	Via Host	
Springer	SPRNNMMARS1	5RSM (Remote)		Via Host	Via Host	
Roswell Main	RSWLNMMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Artesia	ARTSNMMARS1	RSC (Remote)	Deployed	Via Host	Via Host	Via Host
Roswell South	RSWLNMSORS1	RSC (Remote)		Via Host	Via Host	
Santa Fe-Main	SNFENMMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Santa Fe-Southwest	SNFENMSWDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Santa Fe-Eldorado	SNFENM58RS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Silver City	SLCYNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Bayard	BYRDNMMARS1	5RSM (Remote)		Via Host	Via Host	
Taos-Main	TAOSNMMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Angel Fire	ANFRNMMARS1	5RSM (Remote)		Via Host	Via Host	
Questa	QUSTNMMARS1	5RSM (Remote)		Via Host	Via Host	
Red River	RDRVNMMARS1	5RSM (Remote)		Via Host	Via Host	
Taos North	TAOSNMMORS1	5RSM (Remote)		Via Host	Via Host	
Penasco	PNSCNMMARS1	5RSM (Remote)		Via Host	Via Host	
Tijeras	TJRSNMMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
<b>North Dakota</b>						
BISMARCK TANDEM	BSMRNDBC12T	DMS200 (Tandem)			Deployed	
Bismarck	BSMRNDBCDS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Mandan	MNDNNDBADSO	DMS100	Deployed	Deployed	Deployed	Deployed
Dickinson	DCSNNDBCDS1	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Belfield RS5	BLFDNDBCRS5	RSC (Remote)		Via Host	Via Host	
<b>FARGO TANDEM</b>						
Fargo-Moorhead	FARGNDBC23G	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Casselton	CSLTNDBCRS3	5RSM (Remote)		Via Host	Via Host	
Jamestown	JMTWNDBC25G	DMS100(Host)		Deployed	Deployed	
Valley City	VLCYNDBCRS8	RSC (Remote)		Via Host	Via Host	
Wahpeton-Breckenridge	WHTNNDBCDS0	DMS100	Deployed	Deployed	Deployed	Deployed
West Fargo	WFRGNDBC28G	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Comstock	CMSTMNCORS5	RSC (Remote)		Via Host	Via Host	
Gardner	GRNRNDBCRS4	RSC (Remote)		Via Host	Via Host	
Sabin	SABNMNSARS7	RSC (Remote)		Via Host	Via Host	
<b>GRAND FORKS TANDEM</b>						
Grand Forks	GDFRNDBC12T	DMS1/200 (Tandem)			Deployed	
Emerado	GDFRNDBC77G	DMS1/200 (Host)	Deployed	Deployed	Deployed	Deployed
Grafton	GFABNDBCRS5	RSC (Remote)	EIA	Via Host	Via Host	EIA
Manvel	GFTNND-bars3	RSC (Remote)	EIA	Via Host	Via Host	EIA
Minto	MANVNDBCRS6	RSC (Remote)	EIA	Via Host	Via Host	EIA
Reynolds	MINTNDBARS2	RSC (Remote)	EIA	Via Host	Via Host	EIA
Thompson	RYNLNDBCRS8	RSC (Remote)		Via Host	Via Host	
	THSNNDBCRS5	RSC (Remote)	EIA	Via Host	Via Host	EIA

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

ISDN SERVING  
VEHICLE OR  
EIA/HOST

LOCATIONS	CLLI	ISDN BRI	ISDN PRI 64CCC	X75'
			OFFICE DATE	DATE DATE
Crookston	CKTNMNCRRS2	RSC (Remote)	Via Host	Via Host
Mayville	MYVLNDBCRS7	RSC (Remote)	Via Host	Via Host
Thief River Falls	TRFLMNTHRS6	RSC (Remote)	Via Host	Via Host
<b>ND EXTENDED ISDN AVAILABILITY</b>				
Emerado	GFABNDBCRS5	EIA/Grand Forks	Via Host	Via Host
Grafton	GFTNND-bars3	EIA/Grand Forks	Via Host	Via Host
Manvel	MANVNDBCRS6	EIA/Grand Forks	Via Host	Via Host
Minto	MINTNDBARS2	EIA/Grand Forks	Via Host	Via Host
Thompson	THSNNDBCRS5	EIA/Grand Forks	Via Host	Via Host
<b>Oregon</b>				
<b>ASHLAND TANDEM</b>	<b>ASLDOR55C9T</b>	<b>DMS1/200 (Tandem)</b>		Deployed
Ashland	ASLDOR55DS0	DMS1/200	Deployed	Deployed
Grants Pass	GRPSOR29DS0	DMS100	Deployed	Deployed
Klamath Falls	KLFLOR54DS1	DMS100	Deployed	Deployed
Medford	MDFDOR33DS0	DMS100	Deployed	Deployed
Phoenix	PHNXOR55DS1	DMS100	Deployed	Deployed
CenterPoint	CNP NOR29DS0	DMS-10	Deployed	Deployed
<b>ASTORIA TANDEM</b>	<b>ASTROR64C9T</b>	<b>DMS1/200 (Tandem)</b>		Deployed
Astoria	ASTROR64DS0	DMS100	EIA	Deployed
Cannon Beach	CNBHOR64DS0	DMS10	Deployed	Deployed
Warrenton	WRTNOR64DS0	DMS10	Deployed	Deployed
<b>EUGENE TANDEM</b>	<b>EUGNOR53C9T</b>	<b>DMS200 (Tandem)</b>		Deployed
Albany	ALBYOR63DS0	DMS100	Deployed	Deployed
Corvallis	CRVSOR65DS1	5ESS	Deployed	Deployed
Cottage Grove	CTGVOR53DS1	DMS100	Deployed	Deployed
Eugene - 10 <sup>th</sup> Ave	EUGNOR53DS1	5ESS	Deployed	Deployed
Eugene-River Road	EUGNOR28DS0	DMS100	Deployed	Deployed
Florence	FLRNOR53DS0	DMS10	Deployed	Deployed
Junction City	JNCYOR51DS0	DMS10	Deployed	Deployed
Newport	NWPTOR35DS1	DMS100	Deployed	Deployed
Roseburg	RSBGOR57DS0	DMS100	Deployed	Deployed
Springfield	SPFDOR01DS1	DMS100 (Host)	Deployed	Deployed
Leaburg	LBGROR54RS1	RSC (Remote)	Via Host	Via Host
Seaside	SESDOR64DS0	DMS-10	Deployed	Deployed
Jefferson	JFSNOR63DS0	DMS-10	Deployed	Deployed
<b>PENDELTON TANDEM</b>	<b>PNTNOR56C9T</b>	<b>DMS1/200 (Tandem)</b>		Deployed
Baker	BAKROR23DS0	DMS10	Deployed	Deployed
Hermiston	HMTNOR56DS0	DMS100 (Host)	EIA	Deployed
Stanfield	STFDOR56RS0	RSC (Remote)	Via Host	Via Host
Umatilla	UMTLOR57RS0	RSC (Remote)	Via Host	Via Host
Pendleton	PNTNOR56DS0	DMS100 (Host)	EIA	Deployed
Athena	ATHNOR56RS0	RSC (Remote)	Via Host	Via Host
<b>PORTLAND BELMONT TANDEM</b>	<b>PTLDOR13C9T</b>	<b>DMS200 (Tandem)</b>		Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
Bend	BENDOR24DS0	DMS100	Deployed	Deployed	Deployed	Deployed
Dallas	DLLSOR58DS1	DMS100	EIA	Deployed	Deployed	EIA
Lake Oswego	LKOSOR62DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Milwaukie	MLWKOR17DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Oregon City	ORCYOR18DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Alpine	PTLDOR11DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Atlantic	PTLDOR12DS0	DMS100	Deployed	Deployed	Deployed	Deployed
Portland-Belmont	PTLDOR13DS3	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Butler	PTLDOR14DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Capitol	PTLDOR69DS0	DMS100	Deployed	Deployed	Deployed	Deployed
Portland-Capitol	PTLDOR69DS1	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Capitol	PTLDOR69DS2	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Cherry	PTLDOR17DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Cypress	PTLDOR02DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Harold St	PTLDOR08DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Portland-Prospect	PTLDOR18DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Salem-10th Ave	SALMOR59DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Salem-Main	SALMOR58DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Woodburn	WDBNOR59DS0	5ESS	Deployed	Deployed	Deployed	Deployed
St Helens	STHNOR40DS1	DMS 100	EIA	Deployed	Deployed	EIA
Vancouver-Battleground	BTGLWA01DS1	5ESS	Deployed	Deployed	Deployed	Deployed
Vancouver-Longview	LGVWWA02DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Vancouver-North	VANCWANODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Vancouver-Orchards	ORCHWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Vancouver-Oxford	VANCWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Madras	MDRSOR52DS0	DMS10	Deployed	Deployed	Deployed	Deployed
<b>REDMOND TANDEM</b>	<b>RDMDOR01C9T</b>	<b>DMS1/200 (Tandem)</b>			Deployed	
Redmond	RDMDOR01DS0	DMS 100 (Host)	EIA	Deployed	Deployed	EIA
Crooked River	CKRVOR01RSO	RLCM (Remote)		Deployed	Via Host	Via Host
Culver	CLVROR01RSO	RSC (Remote)		Deployed	Via Host	Via Host
Prineville	PRVLOR53DS0	DMS10	EIA	Deployed	Deployed	EIA
Terbonne	TRRBOR01RSO	RLCM (Remote)		Deployed	Via Host	Via Host
<b>OR EXTENDED ISDN AVAILABILITY</b>						
Adair	ADAROR21DS0	EIA/Corvallis DS1	Via Host		Via Host	Via Host
Astoria	ASTROR64DS0	EIA/Portland Capitol DS1	Via Host		Via Host	Via Host
Baker-Sumpter	BAKROR23DS0	EIA/Bend	Via Host		Via Host	Via Host
Central Point	CNPNOR29DS0	EIA/Medford	Via Host		Via Host	Via Host
Dallas	DLLSOR58DS1	EIA/Salem-Main	Via Host		Via Host	Via Host
Florence	FLRNOR53DS0	EIA/Eugene-10th Avenue	Via Host		Via Host	Via Host
Hermiston	HMTNOR56DS0	EIA/Bend	Via Host		Via Host	Via Host
Junction City	JNCYOR51DS0	EIA/Eugene-10th Avenue	Via Host		Via Host	Via Host
North Plains	NPLNOR62DS0	EIA/Portland-Cypress	Via Host		Via Host	Via Host
Pendleton	PNTNOR56DS0	EIA/Bend	Via Host		Via Host	Via Host
Prineville	PRVLOR53DS0	EIA/Bend	Via Host		Via Host	Via Host
Redmond	RDMDOR01DS0	EIA/Bend	Via Host		Deployed	Via Host
Seaside	SESDOR64DS0	EIA/Portland-Capitol DS1	Via Host		Via Host	Via Host
Spring River Road	SPRVOR02DS0	EIA/Bend	Via Host		Via Host	Via Host
St. Helens	STHNOR40DS1	EIA/Portland Capitol DS1	Via Host		Via Host	Via Host
Sutherlin	STHROR58DS0	EIA/Eugene-10th Avenue	Via Host		Via Host	Via Host

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
Winston	WNTNOR57DS0	EIA/Eugene-10th Avenue	Via Host		Via Host	Via Host
<b>South Dakota</b>						
RAPID CITY TANDEM	RPCYSDCO09T	5ESS (Tandem)			Deployed	
Rapid City	RPCYSDCODS1	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Belle Fourche	BLFRSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Blackhawk	BLHKSDCERS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Deadwood	DDWSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Hill City	HLCYSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Lead	LEADSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Rapid Valley	RPVYSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Sturgis	STRGSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Spearfish	SPRFSDCORS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Whitewood	WHWSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Warwick	WRWKSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
<b>SIOUX FALLS TANDEM</b>						
Aberdeen	ABRDSDCODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Huron	HURNSDCODS1	5ESS	Deployed	Deployed	Deployed	Deployed
Pierre	PIRRSDCODS6	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Chamberlain	CHBLSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Fort Pierre	FTPRSDCERS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Sioux Falls-Main	SXFLSDCODS1	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Arlington	ARTNSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Harrisburg	HRBGSDCORS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Madison	MDSNSDCERS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Mitchell	MTCHSDCORS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Sioux Falls-SE	SXFLSDSERS1	5RSM (Remote)	ETa	Via Host	Via Host	ETa
Tea	TEA SDCORS1	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Sioux Falls-Main	SXFLSDCODS2	5ESS	Deployed	Deployed	Deployed	Deployed
Sioux Falls-SW	SXFLSDSWDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Vermillion	VRMLSDCODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Watertown	WTTWSDCODS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Redfield	RDFDSDCORS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Yankton	YNTNSDCODS1	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Elk Point	ELPNSDCORS1	5RSM (Remote)		Via Host	Via Host	
<b>SD EXTENDED BRI ISDN AVAILABILITY</b>						
Arlington	ARTNSDCORS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host
Belle Fourche	BLFRSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Black Hawk	BLHKSDCERS1	EIA/Rapid City	Via Host		Via Host	Via Host
Canton	CNTNSDCORS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host
Cavour	CAVRSDCORS1	EIA/Huron	Via Host		Via Host	Via Host
Chamberlain	CHBLSDCORS1	EIA/Pierre	Via Host		Via Host	Via Host
Colman	CLMNSDCORS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host
De Smet	DESMSDCORS1	EIA/Huron	Via Host		Via Host	Via Host
Deadwood	DDWSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Elk Point	ELPNSDCORS1	EIA/Vermillion	Via Host		Via Host	Via Host
Flandreau	FLNDSDCORS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host
Fort Pierre	FTPRSDCERS1	EIA/Pierre	Via Host		Via Host	Via Host
Harrisburg	HRBGSDCORS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host

*CenturyLink provides 2BIQ in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN SERVING VEHICLE OR EIA/HOST OFFICE</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Hill City	HLCYSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Iroquois	IRQSSDCORS1	EIA/Huron	Via Host		Via Host	Via Host
Lake Preston	LKPRSDCORS1	EIA/Huron	Via Host		Via Host	Via Host
Lead	LEADSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Milbank	MLBNSDCORS1	EIA/Watertown	Via Host		Via Host	Via Host
Miller	MLLRSDCORS1	EIA/Huron	Via Host		Via Host	Via Host
Rapid Valley	RPVYSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Sioux Falls-SE	SXFLSDSERS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host
Sturgis	STRGSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Tea	TEA-SDCORS1	EIA/Sioux Falls-Main	Via Host		Via Host	Via Host
Volga	VOLGSDCORS1	EIA/Huron	Via Host		Via Host	Via Host
Warwick	WRWKSDCORS1	EIA/Rapid City	Via Host		Via Host	Via Host
Whitewood	WHWDSDCORS1	EIA/Rapit City	Via Host		Via Host	Via Host
<b>Utah</b>						
<b>CEDAR CITY TANDEM</b>	<b>CDCYUTMA02T</b>	<b>DMS1/200 (Tandem)</b>			<b>Deployed</b>	
Cedar City	CDCYUTMADS0	DMS1/200 (Host)		Deployed	Deployed	
Beaver	BEVRUTMARS1	RSC (Remote)		Via Host	Via Host	
Brianhead	BNHDUTMARS2	RSC (Remote)		Via Host	Via Host	
Parowan	PRWNUTMARS1	RSC (Remote)		Via Host	Via Host	
St George	STGRUTMADS0	5ESS (Host)		Deployed	Deployed	
Hurricane	HRCNUTMARS1	5RSM (Remote)		Via Host	Via Host	
Leeds	LEDSUTMARS1	5RSM (Remote)		Via Host	Via Host	
Springdale	SPDLUTMARS1	5RSM (Remote)		Via Host	Via Host	
Veyo	VEYOUTMARS1	5RSM (Remote)		Via Host	Via Host	
St. George-Washington	WASHUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
<b>PROVO TANDEM</b>	<b>PROVUTMA1GT</b>	<b>DMS1/200 (Tandem)</b>			<b>Deployed</b>	
American Fork	AMFKUTMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Alpine	ALPIUTNMRS1	DMSRSC (Remote)	Deployed	Via Host	Via Host	Via Host
Lehi	LEHIUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Orem	OREMUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Pleasant Grove	PLGVUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Provo	PROVUTMADS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Richfield	RCFDUTMADS0	DMS100 (Host)	EIA	Deployed	Deployed	EIA
Monroe	MONRUTMARS1	RSC (Remote)		Via Host	Via Host	
Salina	SALNUTMARS1	RSC (Remote)		Via Host	Via Host	
Springville	SPVLUTMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Payson	PYSNUTMARS1	RSC (Remote)	Via Host	Via Host	Via Host	Via Host
Salem	SALMUTMARS2	RSC (Remote)		Via Host		
Santaquin	SNTQUTMARS1	RSC (Remote)		Via Host		
Spanish Fork	SPFKUTMARS1	RSC (Remote)	EIA	Via Host	Via Host	EIA
<b>SALT LAKE CITY TANDEM</b>	<b>SLKCUTMA03T</b>	<b>DMS200 (Tandem)</b>			<b>Deployed</b>	
Bountiful	BNTFUTMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
No. Salt Lake	NSLKUTMARS2	RSC (Remote)	Via Host	Via Host	Via Host	Via Host
Brigham City	BGCYUTMADS0	DMS100	EIA	Deployed	Deployed	EIA
Clearfield	CLFDUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Cottonwood	CTWDUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Draper	DRPRUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Farmington	FRTNUTMADS0	DMS100	EIA	Deployed	Deployed	EIA

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN SERVING VEHICLE OR EIA/HOST OFFICE</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Heber City	HBCYUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Holladay	HLDYUTMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Alta	ALTAUTMARS1	RSC (Remote)		Via Host	Via Host	
Kaysville	KYVLUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Kearns	KRNSUTMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Logan	LOGNUTMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Hyrum	HYRMUTMARS1	RSC (Remote)		Via Host	Via Host	
Richmond	RCMDUTMARS1	RSC (Remote)		Via Host	Via Host	
Smithfield	SMFDUTMARS1	RSC (Remote)		Via Host	Via Host	
Midvale	MDVAUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Murray	MRRYUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Ogden-Main	OGDNUTMADS0	DMS100 (Host)	Deployed	Deployed	Deployed	Deployed
Corinne	CRNNUTMARS1	RSC (Remote)		Via Host	Via Host	
Huntsville	HNVIUTMARS1	RSC (Remote)		Via Host	Via Host	
Morgan	MRGNUTMARS1	RSC (Remote)		Via Host	Via Host	
Mt. Green	MTGNUTMARS1	RSC (Remote)		Via Host	Via Host	
Roy	ROY_UTMARS3	RSC (Remote)		Via Host	Via Host	
Ogden-North	OGDNUTNODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Ogden-West	OGDNUTWERS1	RSC (Remote)		Via Host	Via Host	
Ogden-South	OGDNUTSODS0	DMS100	Deployed	Deployed	Deployed	Deployed
Park City	PRCYUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Riverton	RVTNUTMADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Salt-Lake-East	SLKCUTEADS0	DMS100	Deployed	Deployed	Deployed	Deployed
Salt-Lake-Main	SLKCUTMADS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Salt-Lake-Main	SLKCUTMADS1	DMS100	Deployed	Deployed	Deployed	Deployed
Salt-Lake-South	SLKCUTSODS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Magna	MAGNUTNMRS0	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Salt-Lake-West	SLKCUTWEDS0	DMS100	Deployed	Deployed	Deployed	Deployed
Tooele	TOOLUTMADS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Grantsville	GTVLUTMARS1	5RSM (Remote)		Via Host	Via Host	
West Jordan	WJRDUTMADS0	DMS100	Deployed	Deployed	Deployed	Deployed
<b>UT EXTENDED BRI ISDN AVAILABILITY</b>						
Brigham City	BGCYUTMADS0	EIA/Ogden-North		Via Host	Via Host	Via Host
Farmington	FRTNUTMADS0	EIA/Kaysville		Via Host	Via Host	Via Host
Ogden-West	OGDNUTWERS1	EIA/Ogden-Main		Via Host	Via Host	Via Host
Payson	PYSNUTMARS1	EIA/Springville		Via Host	Via Host	Via Host
Richfield	RCFDUTMADS0	EIA/Orem		Via Host	Via Host	Via Host
Salt-Lake-North	NSLKUTMARS2	EIA/Bountiful		Via Host	Via Host	Via Host
Spanish Fork	SPFKUTMARS1	EIA/Springville		Via Host	Via Host	Via Host
<b>Washington</b>						
ABERDEEN TANDEM	ABRDWA01C9T	DMS1/200 (Tandem)			Deployed	
Aberdeen	ABRDWA01DS0	DMS1/200	Deployed	Deployed	Deployed	Deployed
Ocean Shores	OCSHWA01DS0	DMS10		Deployed	Deployed	
<b>SEATTLE EAST TANDEM</b>						
Auburn Temple	AUBNWA01DS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Black Diamond	BDMDWA01RS1	5RSM (Remote)		Via Host	Via Host	
Bellevue-Glencourt	BLLVWAGLDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Bellevue-Sherwood	BLLVWASHDS0	5ESS	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*



LOCATIONS	CLLI	ISDN SERVING VEHICLE OR EIA/HOST OFFICE	ISDN BRI DATE	ISDN PRI DATE	64CCC DATE	X75' DATE
Bonney Lake	BYLKWA01DS1	5ESS	Deployed	Deployed	Deployed	Deployed
Des Moines	DESMWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Enumclaw	ENMCWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Federal Way	FDWYWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Graham	GRHMWAGRDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Issaquah	ISQHWAEXDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Kent-Meridian	KENTWAMEDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Kent-O Brien	KENTWAOBDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Kent-Ulrich	KENTWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Maple Valley	MPVYWAMVDS0	5ESS	Deployed	Deployed	Deployed	Deployed
* Mercer Island	MRISWA01DS0	5ESS	Deployed		Deployed	Deployed
Puyallup	PYLPWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Renton	RNTNWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Rochester	ROCHWA01DS0	DMS10		Deployed	Deployed	
Seattle-East	STTLWA03DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Seattle-Parkway	STTLWAPADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Sumner	SMNRWA01DS1	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Fawcett	TACMWAFAADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Ft Lewis	TACMWAFLDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Greenfield	TACMWA GFDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Juniper	TACMWAJUDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Lenox	TACMWALEDS1	DMS100	Deployed	Deployed	Deployed	Deployed
Tacoma-Logan	TACMWA LODS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Skyline	TACMWA SYDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Waverly 2	TACMWA WADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Tacoma-Waverly 7	TACMWA WVDS0	5ESS	Deployed	Deployed	Deployed	Deployed
SEATTLE MAIN TANDEM	STTLWA06C9T	DMS200 (Tandem)			Deployed	
Bainbridge Island	BNISWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Belfair	BLFRWA01DS1	DMS100	Deployed	Deployed	Deployed	Deployed
Bellingham-Regent	BLHMWA01DS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Bellingham Lummi	BLHMWALURS0	5RSM (Remote)		Via Host	Via Host	
Bremerton Essex	BMTNWA01DS0	DMS100	Deployed	Deployed	Deployed	Deployed
Centralia	CENLWA01DS1	DMS100	EIA	Deployed	Deployed	EIA
Chehalis	CHHLWA01DS1	DMS100	EIA	Deployed	Deployed	EIA
Colby	COLBWA01DS1	5ESS	Deployed		Deployed	Deployed
Olympia-Lacey	LACYWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Olympia-Whitehall	OLYMWA02DS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Evergreen	OLYMWAEVRS0	5RSM (Remote)	EIA	Via Host	Via Host	EIA
Steamboat	STBTWASTRS1	5RSM (Remote)		Via Host	Via Host	
Port Angeles	PTANWA01DS0	DMS100	Deployed	Deployed	Deployed	Deployed
Port Orchard	PTORWAFEDS0	5ESS (Host)	Deployed	Deployed	Deployed	Deployed
Sunnyslope	SNYSWA01RS1	5RSM (Remote)	Deployed	Via Host	Via Host	Via Host
Port Ludlow	PTLWWA01DS0	DMS10		Deployed	Deployed	
Port Townsend	PTTWWA01DS1	DMS100	Deployed	Deployed	Deployed	Deployed
Sequim	SEQMWA01DS1	DMS100	Deployed	Deployed	Deployed	Deployed
Shelton	SHTNWA01DS0	5ESS	Deployed	Deployed	Deployed	Deployed
Silverdale	SLDLWASIDS0	5ESS	Deployed	Deployed	Deployed	Deployed
Seattle-Atwater	STTLWA05DS0	DMS100	Deployed	Deployed	Deployed	Deployed
Seattle-Campus	STTLWACADS0	5ESS	Deployed	Deployed	Deployed	Deployed
Seattle-Cherry	STTLWACHDS0	5ESS	Deployed	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST  
OFFICE**

<b>LOCATIONS</b>	<b>CLLI</b>	<b>ISDN BRI DATE</b>	<b>ISDN PRI DATE</b>	<b>64CCC DATE</b>	<b>X75' DATE</b>
Seattle-Duwamish	STTLWADUDS0	5ESS	Deployed	Deployed	Deployed
Seattle-Elliott	STTLWAELDS0	5ESS	Deployed	Deployed	Deployed
Seattle-Emerson	STTLWA04DS0	5ESS	Deployed	Deployed	Deployed
Seattle-Lakeview	STTLWALADS0	5ESS	Deployed	Deployed	Deployed
Seattle-Main	STTLWA06DS0	DMS100	Deployed	Deployed	Deployed
Seattle-Main	STTLWA06DS4	5ESS	Deployed	Deployed	Deployed
Seattle-Main	STTLWA06DS6	DMS100	Deployed	Deployed	Deployed
Seattle-Sunset	STTLWASUDS0	5ESS	Deployed	Deployed	Deployed
Seattle-West	STTLWAWEDS0	5ESS	Deployed	Deployed	Deployed
(Note: Battleground, Longview, Vancouver-North, Vancouver-Orchard and Vancouver-Oxford reside in Washington and are served out of the Portland Belmont Tandem (PTLDOR13C9T))					
<b>SPKN RIVERSIDE TANDEM</b>	SPKNWA01C9T	DMS1/200 (Tandem)		Deployed	
Colville	CLVLWA01DS1	DMS100 (Host)		Deployed	
Northport	NPRTWA01RS0	RSC (Remote)		Via Host	Via Host
Cottonwood	CTWDID01DS0	DMS10		Deployed	Deployed
Dayton	DYTNWA01DS0	DMS10		Deployed	Deployed
Ephrata	EPHRWA01DS0	DMS10		Deployed	Deployed
Grangeville	GAVLID01DS0	DMS10		Deployed	Deployed
Lewiston-Sherwood	LSTNIDSHDS0	DMS100	Deployed	Deployed	Deployed
Moses Lake Airbase	MSLKWAABDS0	DMS10		Deployed	Deployed
Moses Lake	MSLKWA01DS0	DMS100		Deployed	Deployed
Spokane-Fairfax	SPKNWAFADS0	5ESS (Host)	Deployed	Deployed	Deployed
Spokane Moran	SPKNWAMORS1	5RSM (Remote)	EIA	Via Host	Via Host
Spokane-Hudson	SPKNWAHDDS0	5ESS	Deployed	Deployed	Deployed
Spokane-Keystone	SPKNWAKYDS0	5ESS	Deployed	Deployed	Deployed
Spokane-Riverside	SPKNWA01DS0	DMS1/200	Deployed	Deployed	Deployed
Spokane-Riverside	SPKNWA01DS1	5ESS (Host)	Deployed	Deployed	Deployed
Chestnut	SPKNWACHRS0	5RSM (Remote)	EIA	Via Host	Via Host
Spokane-Walnut	SPKNWAWADS0	5ESS	Deployed	Deployed	Deployed
Spokane-Whitworth	SPKNWAWHDS0	5ESS	Deployed	Deployed	Deployed
<b>OTHELLO</b>	OTHEWA01DS0	DMS10		Deployed	Deployed
Pomeroy	PMRYWA01DS0	DMS10		Deployed	Deployed
Oroville	ORVLWA01DS0	DMS10		Deployed	Deployed
Deer Park	DRPKWA01DS0	DMS10		Deployed	Deployed
Kooskia	KOSKID01DS0	DMS-10		Deployed	Deployed
(Note: Clarkston, Washington customer are served out of Lewiston-Sherwood, Idaho (LSTNIDSHDS0))					
<b>YAKIMA-WEST TANDEM</b>	YAKMWAWEC9T	DMS1/200 (Tandem)		Deployed	
Pasco	PASCWA01DS0	DMS100	Deployed	Deployed	Deployed
Yakima-Chestnut	YAKMWA02DS1	DMS100	Deployed	Deployed	Deployed
Yakima-West	YAKMWAWEDS0	DMS1/200	Deployed	Deployed	Deployed
<b>WALLA WALLA TANDEM</b>	WLWLWA01C9T	DMS1/200 (Tandem)		Deployed	
Walla Walla	WLWLWA01DS0	DMS1/200 (Host)	Deployed	Deployed	Deployed

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available  
on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*

**ISDN SERVING  
VEHICLE OR  
EIA/HOST**

LOCATIONS	CLLI	ISDN BRI	ISDN PRI 64CCC		X75'
			OFFICE DATE	DATE	DATE
Milton	MLTNOR56RS0	RSC (Remote)	Via Host	Via Host	
<b>WA EXTENDED BRI ISDN AVAILABILITY</b>					
Centralia	CENLWA01DS1	EIA/Olympia-Whitehall	Via Host	Via Host	Via Host
Chehalis	CHHLWA01DS1	EIA/Olympia-Whitehall	Via Host	Via Host	Via Host
Colville	CLVLWA01DS1	EIA/Spokane-Fairfax	Via Host	Via Host	Via Host
Hoodspport	HDPTWA01RS1	EIA/Shelton	Via Host	Via Host	Via Host
Olympia-Evergreen	OLYMWAEVRS0	EIA/Olympia-Whitehall	Via Host	Via Host	Via Host
Ridgefield	RDFDWA01DS0	EIA/Vancouver-North	Via Host	Via Host	Via Host
Spokane-Chestnut	SPKNWACHRS0	EIA/Spokane-Fairfax	Via Host	Via Host	Via Host
Spokane-Moran	SPKNWAMORS1	EIA/Spokane-Fairfax	Via Host	Via Host	Via Host
<b>Wyoming</b>					
<b>CASPER TANDEM</b>					
Casper-Main	CSPRWYMADS0	5ESS (Tandem)		Deployed	
Gillette	GLTTWYMADS0	5ESS	Deployed	Deployed	Deployed
Wright City	WRGHWYMARS1	DMS100 (Host)		Deployed	
Jackson	JCSNWYMADS0	RSC (Remote)	Via Host	Via Host	
Afton	AFTNWYMARS1	DMS100 (Host)	Deployed	Deployed	Deployed
Moran	MORNWYMARS1	RSC (Remote)	Via Host	Via Host	
Riverton	RVTNWYMADS0	RSC (Remote)	Via Host	Via Host	
Lander	LNDRWYMARS1	DMS100 (Host)	Deployed	Deployed	
		RSC (Remote)	Via Host	Via Host	
<b>CHEYENNE TANDEM</b>					
Cheyenne	CHYNWYMADS0	5ESS (Tandem)		Deployed	
Wheatland	WHLDWYMARS1	5ESS (Host)	Deployed	Deployed	Deployed
Laramie	LARMWYNMDS0	5RSM (Remote)	Via Host	Via Host	
Rawlins	RWLNWYMADS0	DMS100	Deployed	Deployed	Deployed
Rock Springs	RCSPWYMADS1	DMS100	Deployed	Deployed	Deployed
		C15	Deployed	Deployed	

*CenturyLink provides 2B1Q in offices equipped with Generic 5E6 or BCS32 and above  
EIA = Extended ISDN Availability (EIA) expands the serving area by providing ISDN based services from a non co-located switch.  
Capabilities of EIA offices are derived from their hosts and subject to change. BRI capability may be available on a very limited geographic basis in some EIA offices depending on technology availability. (NA = Not Available)*